



# Work Order ID 64067

Wednesday, November 24, 2010 8:09:02 AM


Page 1


|                           |                  |   |               |   |
|---------------------------|------------------|---|---------------|---|
| Item ID: D4018-5          | Accept           |  | Setup Start   |  |
| Revision ID:              |                  |   | Stop          |  |
| Item Name: Rib            |                  |   |               |   |
| Start Date: 11/24/2010    | Start Qty: 18.00 |    | Cust Item ID: |   |
| Required Date: 11/30/2010 | Req'd Qty: 18.00 |    | Customer:     |   |
| Reference:                |                  |   |               |   |


|            |                                   |                                   |  |                                   |           |   |
|------------|-----------------------------------|-----------------------------------|--|-----------------------------------|-----------|---|
| Approvals: | Process Plan: <u>  <i>R</i>  </u> | Date: <u>10-11-24</u>             | Tooling:                               | Date:                             | Run Start |  |
|            | QC: <u>                    </u>   | Date: <u>                    </u> | SPC (Y/N): <u>                    </u> | Date: <u>                    </u> | Stop      |  |

| Sequence ID/<br>Work Center ID | Operation<br>Description | Set Up/<br>Run Hours | Tool ID | Tool # | Plan<br>Code | Accept<br>Qty | Reject<br>Qty | Reject<br>Number | Insp.<br>Stamp |
|--------------------------------|--------------------------|----------------------|---------|--------|--------------|---------------|---------------|------------------|----------------|
|--------------------------------|--------------------------|----------------------|---------|--------|--------------|---------------|---------------|------------------|----------------|

| Draw Nbr | Revision Nbr |
|----------|--------------|
| D4018    | C            |

|  |   |      |          |  |  |  |  |  |  |
|--|---|------|----------|--|--|--|--|--|--|
| 100  |   | 0.00 |          |  |  |  |  |  |  |
|  |   |      |          |  |  |  |  |  |  |
| Large Fab  | Memo  | 0.00 | SAD      |  |  |  |  |  |  |
| Large Fab  | 1- Cut tube as per dwg D4018<br>2- debur and remove identification markings |      | 10-11-26 |  |  |  |  |  |  |

|  |   |      |                      |  |  |  |  |  |  |
|--|---|------|----------------------|--|--|--|--|--|--|
| 110  | QC5- Inspect part completeness to step on W/O | 0.00 |                      |  |  |  |  |  |  |
|  |   |      |                      |  |  |  |  |  |  |
| QC   | Memo  | 0.00 |                      |  |  |  |  |  |  |
| Quality Control  |   |      | Op 10.11.26 / S101u6 |  |  |  |  |  |  |

|  |   |      |          |  |  |  |  |  |  |
|--|---|------|----------|--|--|--|--|--|--|
| 120  | Identify as per dwg & Stock Location: <u>WA</u> | 0.00 |          |  |  |  |  |  |  |
|  |   |      |          |  |  |  |  |  |  |
| Packaging  | Memo  | 0.00 | SAD      |  |  |  |  |  |  |
| Packaging  |   |      | 10-11-30 |  |  |  |  |  |  |

| W/O: 64067 |      | WORK ORDER CHANGES                     |    |          |     |                                     |                          |
|------------|------|--|----|----------|-----|-------------------------------------|--------------------------|
| DATE       | STEP | PROCEDURE CHANGE                       | By | Date     | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
| 10-11-25   | 110  | change ACS to a QCB<br><br>perm change |    | 10.12.01 |     | <br>10-11-25                        | <br>10-11-25             |
|            |      |  |    |          |     |                                     |                          |

Part No: D4018-5 PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

**Work Order ID 64067**

Page 2

Wednesday, November 24, 2010 8:09:02 AM

Item ID: D4018-5

Accept



Setup Start



Revision ID:

Stop



Item Name: Rib

Start Date: 11/24/2010 Start Qty: 18.00



Cust Item ID:

Required Date: 11/30/2010 Req'd Qty: 18.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run Hours

Tool ID

Tool #

Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

130

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

CA 10/12/01 JJ  
MS  
10-1-30

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

# Picklist Print

Wednesday, November 24, 2010 8:09:06 AM

Page 1

Work Order ID: 64067

Parent Item: D4018-5

Parent Item Name: Rib



Start Date: 11/24/2010

Required Date: 11/30/2010

Start Qty: 18.00

Required Qty: 18.00

Comments: IPP RevA: new issue DD 09.11.26 verified by:EC IPP Rev:B as  
per dwg revA 10.03.15 verified by:EC IPP Rev:C as per dwg  
RevB DD 10.04.16 verified by:EC IPP Rev:D as per dwg revC DD  
10.08.18 verified by:EC

| Component Item ID/<br>Item Name | Replacement<br>Item ID | Mfg/<br>Purch | Bin<br>Item | Primary<br>Location | Last<br>Location | Route<br>Seq ID | Unit of<br>Measure | Qty on<br>Hand | Qty per Kit | Total<br>Qty | Qty<br>Issued | Date<br>Issued | Status |
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|
| M304TS0.500W.049                |                        | Purchased     | No          |                     |                  | 100             | f                  | 314.8228       | 0.5558      | 10.53095     |               |                |        |
|                                 |                        |               |             |                     |                  |                 |                    |                |             |              |               |                |        |
| Square Tubing                   |                        |               |             |                     |                  |                 |                    |                |             |              |               |                |        |

SAD 10-11-26

| Location | Loc Qty     | Loc Code |
|----------|-------------|----------|
| MAT      | 80.47311579 |          |
| 114004   | 0           |          |
| 114807   | 1.579E-05   |          |
| 115034   | 80.4731     |          |
| WA       | 234.34971   |          |
| 114724   | 2.62251     |          |
| 115257   | 231.7272    |          |

2.6225  
7.9085

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

| ITEM | QTY<br>-041 | P/N       | DESCRIPTION                    |
|------|-------------|-----------|--------------------------------|
|      | X           | D4018-041 | SHORT BASKET LID ASSY (350)    |
| 1    |             | D4016-3   | HINGE HALF, LID                |
| 2    | 2           | D2581     | MOUNTING BRACKET               |
| 3    | 1           | D2728-3   | DART LOGO LABEL                |
| 4    | 1           | D4018-101 | TUBULAR ASSY, BASKET LID (350) |
| 5    | 1           | D4020-7   | MESH                           |
| 6    | 1           | D4021-3   | DATA PLATE                     |



**D4018-041 SHORT BASKET LID ASSY (350)**  
(MESH SHOWN LOCALLY FOR CLARITY)

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 64067  
B/10-11-24

RELEASED  
10.08.12  
ECN 10-846

|            |   |     |          |
|------------|---|-----|----------|
| C          | REMOVED D4086-232, UPDATED DETAIL E ACCORDINGLY (C8-2). REASON: NOW INSTALLED BY OPERATORS PER D350-607-2 REV. C AND D350-607-3 REV. A.   | MB  | 10.08.05 |
| B          | BOM: INSERTED QTY 1 D2728-3 AS ITEM 3 & QTY 1 D4086-232 PLACARD AS ITEM 7. ITEMS RENUMBERED AS REQD. SHEET 2, NOTES: PAINT SPEC ADDED & NOTE 7 & 8 REVISED. (B4-2) FRONT VIEW ADDED, WELDING SYMBOLS REVISED. DETAIL VIEW E ADDED (C4-2)&(C82). SIDE VIEWS ADDED (C1-4)&(D1-4). | JPH | 10.03.25 |
| A          | NEW ISSUE   | JPH | 10.03.04 |
| REV.       | DESCRIPTION   | BY  | DATE     |
| DESIGN     | ALS   |     |          |
| DRAWN      | SC  |     |          |
| CHECKED    | SC  |     |          |
| MFG. APPR. | ALS   |     |          |
| APPROVED   | ALS   |     |          |
| DE APPR.   | ALS   |     |          |
| DATE       | 10.08.05  |     |          |

**DART AEROSPACE LTD**

HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D4018** REV. C  
SHEET 1 OF 4  
TITLE **SHORT BASKET LID ASSY (350)** NTS

COPYRIGHT © 2010 BY DART AEROSPACE LTD  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED BY THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_



Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries







W1064067



RELEASED  
10.08.12

**D4018-041 SHORT BASKET LID ASSY (350)**  
(MESH SHOWN LOCALLY FOR CLARITY)



**VIEW A-A** C1-2

- NOTES:**
- 1) MATERIAL: N/A
  - 2) FINISH: POWDER COAT BLACK SANDTEX (4.3.5.7) PER DART QSI 005 4.3  
APPLY BLACK ANTI-SKID PAINT TO OUTSIDE SURFACE OF MESH PER DART QSI 005 4.4
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: N/A
  - 7) WEIGHT: 14.5 lbs APPROX
  - 8) MASK HOLES PRIOR TO FINISHING
  - 9) WELD PER DART QSI 004

**DETAIL D** D1-2

|   |          |  |              |
|---|----------|--|--------------|
| DESIGN  | ALS      | <b>DART AEROSPACE LTD</b>              |              |
| DRAWN   | B        | HAWKESBURY, ONTARIO, CANADA            |              |
| CHECKED   | SC       | DRAWING NO.                            | REV. C       |
| MFG. APPR.  | AND      | D4018                                  | SHEET 2 OF 4 |
| APPROVED  |          | TITLE                                  | SCALE        |
| DE APPR.  |          | SHORT BASKET LID ASSY (350)            | NTS          |
| DATE  | 10.08.05 | COPYRIGHT © 2010 BY DART AEROSPACE LTD |              |
| THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISCLOSED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. |          |  |              |

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

u/b 64067

| ITEM | QTY | P/N       | DESCRIPTION                    |
|------|-----|-----------|--------------------------------|
|      | X   | D4018-101 | TUBULAR ASSY, BASKET LID (350) |
| 1    | 2   | D4018-1   | RIB                            |
| 2    | 2   | D4018-3   | RIB                            |
| 3    | 6   | D4018-5   | RIB                            |
| 4    | 1   | D4035-041 | BASKET LID RIB ASSY, FWD       |
| 5    | 1   | D4035-043 | BASKET LID RIB ASSY, AFT       |



8 D4018-101 TUBULAR ASSY, BASKET LID (350)

RELEASED  
10.08.12

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 9.06 lbs
- 8) TOLERANCE FOR XX.XX DIMENSIONS  $\pm 0.06$  FOR D4018-101
- 9) WELD PER DART QSI 004

|            |          |  |              |
|------------|----------|--|--------------|
| DESIGN     | ALS      | DART AEROSPACE LTD   |              |
| DRAWN      | h        | HAWKESBURY, ONTARIO, CANADA  |              |
| CHECKED    | SC       | DRAWING NO.  | REV. C       |
| MFG. APPR. |          | D4018  | SHEET 3 OF 4 |
| APPROVED   |          | TITLE  | SCALE        |
| DE APPR.   |          | SHORT BASKET LID ASSY (350)  | NTS          |
| DATE       | 10.08.05 | COPYRIGHT © 2010 BY DART AEROSPACE LTD<br>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. |              |

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries


u/b u4067



**D4018-1 RIB**



**D4018-3 RIB**



**D4018-5 RIB**

RELEASED  
10.08.12

**NOTES:**

1) MATERIAL -1: AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBE, 0.75 X 0.75 X 0.049 WALL  
REF DART SPEC. M304TS0.750W.049

-3 & -5: AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBE, 0.50 X 0.50 X 0.049 WALL  
REF DART SPEC. M304TS0.500W.049

- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: SEE ASSEMBLED WEIGHTS

|            |          |  |              |
|------------|----------|--|--------------|
| DESIGN     | AJS      | DART AEROSPACE LTD   |              |
| DRAWN      | h        | HAWKESBURY, ONTARIO, CANADA  |              |
| CHECKED    | SC       | DRAWING NO.  | REV. C       |
| MFG. APPR. | MS       | D4018  | SHEET 4 OF 4 |
| APPROVED   | MS       | TITLE  | SCALE        |
| DE APPR.   | MS       | SHORT BASKET LID ASSY (350)  | NTS          |
| DATE       | 10.08.05 | <small>COPYRIGHT © 2010 BY DART AEROSPACE LTD<br/>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br/>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT<br/>WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small> |              |

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries